

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Provider Number	Nursing Home Name	Street
365714	ST LEONARD HCC	8100 CLYO ROAD
365976	PROVIDENCE CARE CENTER	2025 HAYES AVENUE
365907	FRANCISCAN CARE CTR SYLVANIA	4111 HOLLAND SYLVANIA RD
366279	ROSARY CARE CENTER	6832 CONVENT BOULEVARD





QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

City	State	ZIP Code	Phone Number
CENTERVILLE	OH	45458	9374366340
SANDUSKY	OH	44870	4196272273
TOLEDO	OH	43623	4198826582
SYLVANIA	OH	43560	4198822016




QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents whose need for help with daily activities has increased	Footnote-1
	19.2%
	8.9%
	12.4%
	14.9%





QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who self-report moderate to severe pain		Footnote-2
	17.6%	
	16.7%	
	19.2%	
	10.6%	





QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay high-risk residents with pressure ulcers	Footnote-3
 4.5%	
 6.2%	
 5.3%	
 16.3%	


QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Percent of long-stay residents who lose too much weight	Footnote-4
 7%	
 9.1%	
 10.9%	
 4%	

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)




QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-5

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)







QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-6	Percent of long-stay residents with a urinary tract infection	
	<div></div>	31.2%
	<div></div>	14.2%
	<div></div>	10%
	<div></div>	13.1%

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-7	Percent of long-stay residents who have depressive symptoms	
		16.9%
		1.9%
		2.7%
		4.1%





QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-8	Percent of long-stay residents who were physically restrained
	0.3%
	0%
	0%
	0.6%

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-9	Percent of long-stay residents experiencing one or more falls with major injury	
		1.6%
		1.8%
		1.7%
		5.6%


QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-10

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)




QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-11

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)



QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-12	Percent of short-stay residents who self-report moderate to severe pain
	<div></div> 14.6%
	<div></div> 27.2%
	<div></div> 25.8%
	<div></div> 37%

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-13	Percent of short-stay residents with Pressure ulcers that are new or worsened
	0.6%
	1.3%
	2.7%
	2.8%


QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-14

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)




QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-15

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)







QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-16	Percent of short-stay residents who newly received an antipsychotic medication	
	<div><div></div></div>	1.2%
	<div><div></div></div>	1.5%
	<div><div></div></div>	2%
		0%

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-17	Percent of long-stay residents who received an antipsychotic medication	
		11.6%
		16%
		21.6%
		4.5%

QM 3rd Quarter

Based on Nursing Home Compare - Quality Measures (Q3)

Footnote-18